(19) Weltorganisation für geistiges Eigentum Internationales Büro



# ) | THE REPORT OF THE PROPERTY OF THE PROPERTY

(43) Internationales Veröffentlichungsdatum 20. Oktober 2005 (20.10.2005)

PCT

# (10) Internationale Veröffentlichungsnummer WO 2005/098544 A3

(51) Internationale Patentklassifikation: *G03F 7/20* (2006.01) *H01J 37/317* (2006.01) *G11B 11/00* (2006.01)

(21) Internationales Aktenzeichen: PCT/EP2005/051451

(22) Internationales Anmeldedatum:

30. März 2005 (30.03.2005)

(25) Einreichungssprache:

Deutsch

(26) Veröffentlichungssprache:

Deutsch

(30) Angaben zur Priorität:

10 2004 018 147 8. April 2004 (08.04.2004) DE

(71) Anmelder (für alle Bestimmungsstaaten mit Ausnahme von US): GIESECKE & DEVRIENT GMBH [DE/DE]; Prinzregentenstr. 159, 81677 München (DE). LEICA MICROSYSTEMS LITHOGRAPHY GMBH [DE/DE]; Göschwitzer Strasse 25, 07745 Jena (DE).

(72) Erfinder; und

(75) Erfinder/Anmelder (nur für US): KAULE, Wittich

[DE/DE]; Lindacher Weg 13, 82275 Emmering (DE). **PLONTKE, Rainer** [DE/DE]; Am Schwemmtümpel 15, 99441 Magdala (DE). **STOLLBERG, Ines** [DE/DE]; Johannisstrasse 11, 07743 Jena (DE). **SCHUBERT, Andreas** [DE/DE]; Schillerstrasse 5, 99510 Niederrossla (DE). **DICHTL, Marius** [DE/DE]; Oberländer Str. 5c, 81371 München (DE).

(74) Anwalt: REICHERT, Werner; Franz-Groedel-Str. 1, 61231 Bad Nauheim (DE).


(81) Bestimmungsstaaten (soweit nicht anders angegeben, für jede verfügbare nationale Schutzrechtsart): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Bestimmungsstaaten (soweit nicht anders angegeben, für jede verfügbare regionale Schutzrechtsart): ARIPO (BW,

[Fortsetzung auf der nächsten Seite]

(54) Title: DEVICE AND METHOD FOR PRODUCING RESIST PROFILED ELEMENTS

(54) Bezeichnung: EINRICHTUNG UND VERFAHREN ZUR ERZEUGUNG VON RESISTPROFILEN



(57) Abstract: The invention relates to a device and a method for producing resist profiled elements. According to the invention, an electron beam lithography system is used to produce an electron beam, the axis of the beam being essentially perpendicular to a resist layer in which the resist profiled element is to be produced. The electron beam can be adjusted in terms of the electron surface dose in such a way that a non-orthogonal resist profiled element can be produced as a result of the irradiation by the electron beam.

(57) Zusammenfassung: Es ist eine Einrichtung und eine Vorrichtung zur Erzeugung von Resistprofilen offenbart. Hierzu ist ein System zur Elektronenstrahllithographie notwendig, das einen Elektronenstrahl erzeugt, dessen Strahlachse im wesentlichen senkrecht auf einer Resistschicht steht, in der das Resistprofil erzeugt werden soll. Der Elektronenstrahl ist hinsichtlich der Elektronenflächendosis derart einstellbar ist, dass aufgrund der Bestrahlung durch den Elektronenstrahl ein Resistprofil erzeugbar ist, das ein nicht-rechtwinkliges Resistprofil aufweist.



### WO 2005/098544 A3



GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), eurasisches (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), europäisches (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

#### Veröffentlicht:

- mit internationalem Recherchenbericht
- vor Ablauf der f\u00fcr \u00e4nnderungen der Anspr\u00fcche geltenden Frist; Ver\u00f6fentlichung wird wiederholt, falls \u00e4nderungen eintreffen

#### (88) Veröffentlichungsdatum des internationalen Recherchenberichts: 13. Juli 2006

Zur Erklärung der Zweibuchstaben-Codes und der anderen Abkürzungen wird auf die Erklärungen ("Guidance Notes on Codes and Abbreviations") am Anfang jeder regulären Ausgabe der PCT-Gazette verwiesen.

## INTERNATIONAL SEARCH REPORT

PCT/FP2005/051451

			E1 2003/ 031431
A. CLASSI	FICATION OF SUBJECT MATTER G03F7/20 H01J37/317 G11B11/0	00	
According to	International Patent Classification (IPC) or to both national classific	ation and IPC	
B. FIELDS	SEARCHED		
Minimum do	cumentation searched (classification system followed by classificati ${\tt G11B}$ ${\tt H01J}$ ${\tt G03F}$	on symbols)	
	ion searched other than minimum documentation to the extent that s		
	ata base consulted during the international search (name of data ba ternal, INSPEC, IBM—TDB, WPI Data, F	•	erms used)
C. DOCUME	ENTS CONSIDERED TO BE RELEVANT		
Category °	Citation of document, with indication, where appropriate, of the rel	evant passages	Relevant to claim No.
Х	KLEY E-B ET AL: "E-BEAM LITHOGRAPHY: A SUITABLE TECHNOLOGY FOR FABRICATION OF HIGH-ACCURACY 2D AND 3D SURFACE PROFILES" PROCEEDINGS OF THE SPIE, SPIE, BELLINGHAM,		1-30
	VA, US, vol. 2640, 23 October 1995 (1995- pages 71-80, XP009031977 ISSN: 0277-786X the whole document	-10-23),	
А	SCHNABEL B ET AL: "FABRICATION AND APPLICATION OF SUBWAVELENGTH GRATINGS" PROCEEDINGS OF THE SPIE, SPIE, BELLINGHAM, VA, US, vol. 3008, 10 February 1997 (1997-02-10), pages 233-241, XP009031976 ISSN: 0277-786X		1
	155N. UZ/7-/BUX		
	-	-/	
χ Furth	ner documents are listed in the continuation of box C.	Patent family members	are listed in annex.
° Special ca	tegories of cited documents :	"T" later document published after	er the international filling date
*A* document defining the general state of the last which is not considered to be of particular relevance		or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention  X* document of particular relevance; the claimed invention	
filing date cannot be con			or cannot be considered to en the document is taken alone
"L" docurrent which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)  "O" document referring to an oral disclosure, use, exhibition or		"Y" document of particular releval cannot be considered to inv	
other means "P" document published prior to the International filing date but		ments, such combination being obvious to a person skilled in the art.  8" document member of the same patent family	
Date of the actual completion of the international search  Date of mailing of the			
3	April 2006	03/05/2006	
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentiaan 2		Authorized officer	
	NL – 2280 HV Rijswijk Tel. (+31–70) 340–2040, Tx. 31 651 epo nl, Fax: (+31–70) 340–3016	Haenisch, U	

### INTERNATIONAL SEARCH REPORT

national Application No PCT/EP2005/051451

	PCT/EP2005/051451			
C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT  Category Cilation of document, with indication, where appropriate, of the relevant passages    Relevant to claim No.				
tion of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.			
HEIDENREICH R D ET AL: "Electron scattering and line profiles in negative electron resists" JOURNAL OF VACUUM SCIENCE AND TECHNOLOGY USA, vol. 12, no. 6, November 1976 (1976-11), pages 1284-1288, XP002375481 ISSN: 0022-5355				
LIN L H: "Cross-section profiles of single-scan negative electron-resist lines" JOURNAL OF VACUUM SCIENCE AND TECHNOLOGY USA, vol. 12, no. 6, November 1976 (1976-11), pages 1289-1293, XP002375482				
JAGDHOLD U ET AL: "60 nm copper lines produced by a lift-off technique with 5 keV electrons: experiment and simulation" PROCEEDINGS OF THE SPIE - THE INTERNATIONAL SOCIETY FOR OPTICAL ENGINEERING SPIE-INT. SOC. OPT. ENG USA, wol. 3049, 1997, pages 757-764, KPO02375483 ISSN: 0277-786X the whole document	1,2,5-8, 12-14, 21,24			
HAM Y-M ET AL: "APPLICATION OF A NEW EMPIRICAL MODEL TO THE ELECTRON BEAM LITHOGRAPHY PROCESS WITH CHEMICALLY AMPLIFIED RESIST" JAPANESE JOURNAL OF APPLIED PHYSICS, JAPAN SOCIETY OF APPLIED PHYSICS, TOKYO, JP, vol. 37, no. 12B, December 1998 (1998-12), pages 6761-6766, XP000880252 ISSN: 0021-4922				
WITTIG L-CHR ET AL: "Intermittence effect in electron beam writing" MICROELECTRONIC ENGINEERING, ELSEVIER PUBLISHERS BV., AMSTERDAM, NL, vol. 57-58, September 2001 (2001-09), pages 321-326, XP004302280 ISSN: 0167-9317				
THE THE TOTAL VALUE OF THE VALU	HEIDENREICH R D ET AL: "Electron scattering and line profiles in negative electron resists"  JOURNAL OF VACUUM SCIENCE AND TECHNOLOGY JSA, vol. 12, no. 6, November 1976 (1976–11), bages 1284–1288, XP002375481  ISSN: 0022–5355  LIN L H: "Cross-section profiles of single-scan negative electron-resist lines"  JOURNAL OF VACUUM SCIENCE AND TECHNOLOGY JSA, vol. 12, no. 6, November 1976 (1976–11), bages 1289–1293, XP002375482  ISSN: 0022–5355  JAGDHOLD U ET AL: "60 nm copper lines broduced by a lift-off technique with 5 seev electrons: experiment and simulation" PROCEEDINGS OF THE SPIE – THE INTERNATIONAL SOCIETY FOR OPTICAL ENGINEERING SPIE-INT. SOC. OPT. ENG USA, vol. 3049, 1997, pages 757–764, KP002375483  ISSN: 0277–786X the whole document  HAM Y-M ET AL: "APPLICATION OF A NEW EMPIRICAL MODEL TO THE ELECTRON BEAM LITHOGRAPHY PROCESS WITH CHEMICALLY AMPLIFIED RESIST"  JAPANESE JOURNAL OF APPLIED PHYSICS, JAPAN SOCIETY OF APPLIED PHYSICS, TOKYO, JP, vol. 37, no. 12B, December 1998 (1998–12), bages 6761–6766, XP000880252  ISSN: 0021–4922  WITTIG L-CHR ET AL: "Intermittence effect in electron beam writing" MICROELECTRONIC ENGINEERING, ELSEVIER PUBLISHERS BV., AMSTERDAM, NL, vol. 57–58, September 2001 (2001–09), bages 321–326, XP004302280			

### INTERNATIONALER RECHERCHENBERICHT

nationales Aktenzeichen PCT/EP2005/051451

		PCT/EP2	005/051451			
A. KLASSIFIZIERUNG DES ANMELDUNGSGEGENSTANDES G03F7/20 H01J37/317 G11B11/00						
Nach der Int	ternationalen Patentklassifikation (IPK) oder nach der nationalen Klas	ssifikation und der IPK				
	RCHIERTE GEBIETE	<del></del>				
Heche <b>rchi</b> er	ter Mindestprüfstoff (Klassifikationssystem und Klassifikationssymbo G11B H01J G03F	oe)				
	te aber nicht zum Mindestprüfstoff gehörende Veröffentlichungen, so					
Während der internationalen Recherche konsultierte elektronische Datenbank (Name der Datenbank und evtl. verwendete Suchbegriffe) EPO-Internal, INSPEC, IBM-TDB, WPI Data, PAJ						
C. ALS WE	SENTLICH ANGESEHENE UNTERLAGEN					
Kategorie*	Bezeichnung der Veröffentlichung, soweit erforderlich unter Angab	e der in Betracht kommenden Teile	Betr. Anspruch Nr.			
х	KLEY E-B ET AL: "E-BEAM LITHOGRASUITABLE TECHNOLOGY FOR FABRICATIHIGH-ACCURACY 2D AND 3D SURFACE PROCEEDINGS OF THE SPIE, SPIE, BEVA, US, Bd. 2640, 23. Oktober 1995 (1995-Seiten 71-80, XP009031977 ISSN: 0277-786X das ganze Dokument	ON OF PROFILES" LLINGHAM,	1-30			
Α	SCHNABEL B ET AL: "FABRICATION A APPLICATION OF SUBWAVELENGTH GRAT PROCEEDINGS OF THE SPIE, SPIE, BE VA, US, Bd. 3008, 10. Februar 1997 (1997- Seiten 233-241, XP009031976 ISSN: 0277-786X	INGS" LLINGHAM,	1			
Weitere Veröffentlichungen sind der Fortsetzung von Feld C zu  Siehe Anhang Patentfamilie						
<ul> <li>Besondere Kategorien von angegebenen Veröffentlichungen:</li> <li>"A" Veröffentlichung, die den allgemeinen Stand der Technik definiert, aber nicht als besonders bedeutsam anzusehen ist der Technik definiert, aber nicht als besonders bedeutsam anzusehen ist aber nicht als besonders bedeutsam anzusehen ist der Technik definiert, aber nicht als besonders bedeutsam anzusehen ist aber nicht als besonders bedeutsam anzusehen ist aber nicht als besonders bedeutsam anzusehen ist aber nicht als besonders Bedeutsam und des Abschlusses der Internationalen Anmeldedatum veröffentlicht worden ist und mit der Anmelden ist kollidiert, sondern nur zum Verständnis des der Effindung zugrunciellegenden Prinzips oder der ihr zugrundellegenden Theorie angegeben ist "X" Veröffentlichung von besonderer Bedeutung; die beanspruchte Erfindung kann allein aufgrund dieser Veröffentlichung nicht als neu oder auf erfinderischer Tätigkeit beruhend betrachtet werden veröffentlichung, die sch auf eine mündliche Offenbarung, eine Benutzung, eine Ausstellung oder andere Maßnahmen bezieht "P" Veröffentlichung, die vor dem internationalen Anmeldedatum oder dem Prioritätsadtum veröffentlicht worden ist und mit der Anmeldung nicht kollidiert, sondern nur zum Verständnis des des der Effindung zugrunciellegenden Prinzips oder der ihr zugrundellegenden Theorie angegeben ist "X" Veröffentlichung von besonderer Bedeutung; die beanspruchte Erfindung von besonderer Be</li></ul>						
3	. April 2006	03/05/2006				
Name und P	Postanschrift der Internationalen Recherchenbehörde Europäisches Patentamt, P.B. 5818 Patentlaan 2 NL – 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (-31-70) 340-3018	Bevollmächtigter Bediensteter  Haenisch, U				

### INTERNATIONALER RECHERCHENBERICHT

rnationales Aktenzeichen
PCT/EP2005/051451

PCT/EP		2005/051451	
ung) ALS WESENTLICH ANGESEHENE UNTERLAGEN			
Bezeichnung der Veröffentlichung, soweit erforderlich unter Angabe der in Betracht komm	enden Teile	Betr. Anspruch Nr.	
HEIDENREICH R D ET AL: "Electron scattering and line profiles in negative electron resists" JOURNAL OF VACUUM SCIENCE AND TECHNOLOGY USA, Bd. 12, Nr. 6, November 1976 (1976-11), Seiten 1284-1288, XP002375481 ISSN: 0022-5355			
LIN L H: "Cross-section profiles of single-scan negative electron-resist lines" JOURNAL OF VACUUM SCIENCE AND TECHNOLOGY USA, Bd. 12, Nr. 6, November 1976 (1976-11), Seiten 1289-1293, XP002375482 ISSN: 0022-5355			
JAGDHOLD U ET AL: "60 nm copper lines produced by a lift-off technique with 5 keV electrons: experiment and simulation" PROCEEDINGS OF THE SPIE - THE INTERNATIONAL SOCIETY FOR OPTICAL ENGINEERING SPIE-INT. SOC. OPT. ENG USA, Bd. 3049, 1997, Seiten 757-764, XP002375483 ISSN: 0277-786X das ganze Dokument		1,2,5-8, 12-14, 21,24	
HAM Y-M ET AL: "APPLICATION OF A NEW EMPIRICAL MODEL TO THE ELECTRON BEAM LITHOGRAPHY PROCESS WITH CHEMICALLY AMPLIFIED RESIST"  JAPANESE JOURNAL OF APPLIED PHYSICS, JAPAN SOCIETY OF APPLIED PHYSICS, TOKYO, JP, Bd. 37, Nr. 12B, Dezember 1998 (1998-12), Seiten 6761-6766, XP000880252 ISSN: 0021-4922			
WITTIG L-CHR ET AL: "Intermittence effect in electron beam writing" MICROELECTRONIC ENGINEERING, ELSEVIER PUBLISHERS BV., AMSTERDAM, NL, Bd. 57-58, September 2001 (2001-09), Seiten 321-326, XP004302280 ISSN: 0167-9317			
	HEIDENREICH R D ET AL: "Electron scattering and line profiles in negative electron resists"  JOURNAL OF VACUUM SCIENCE AND TECHNOLOGY USA,  Bd. 12, Nr. 6, November 1976 (1976-11), Seiten 1284-1288, XP002375481  ISSN: 0022-5355  LIN L H: "Cross-section profiles of single-scan negative electron-resist lines"  JOURNAL OF VACUUM SCIENCE AND TECHNOLOGY USA,  Bd. 12, Nr. 6, November 1976 (1976-11), Seiten 1289-1293, XP002375482  ISSN: 0022-5355  JAGDHOLD U ET AL: "60 nm copper lines produced by a lift-off technique with 5 keV electrons: experiment and simulation" PROCEEDINGS OF THE SPIE - THE INTERNATIONAL SOCIETY FOR OPTICAL ENGINEERING SPIE-INT. SOC. OPT. ENG USA, Bd. 3049, 1997, Seiten 757-764, XP002375483  ISSN: 0277-786X das ganze Dokument  HAM Y-M ET AL: "APPLICATION OF A NEW EMPIRICAL MODEL TO THE ELECTRON BEAM LITHOGRAPHY PROCESS WITH CHEMICALLY AMPLIFIED RESIST"  JAPANESE JOURNAL OF APPLIED PHYSICS, JAPAN SOCIETY OF APPLIED PHYSICS, TOKYO, JP, Bd. 37, Nr. 12B, Dezember 1998 (1998-12), Seiten 6761-6766, XP000880252  ISSN: 0021-4922  WITTIG L-CHR ET AL: "Intermittence effect in electron beam writing" MICROELECTRONIC ENGINEERING, ELSEVIER PUBLISHERS BV., AMSTERDAM, NL, Bd. 57-58, September 2001 (2001-09), Seiten 321-326, XP004302280	Dezeichnung der Veröffentlichung, soweit erforderlich unter Angabe der in Betracht kommenden Teile  HEIDENREICH R D ET AL: "Electron scattering and line profiles in negative electron resists"  JOURNAL OF VACUUM SCIENCE AND TECHNOLOGY USA, Bd. 12, Nr. 6, November 1976 (1976–11), Seiten 1284–1288, XP002375481  ISSN: 0022–5355  LIN L H: "Cross-section profiles of single-scan negative electron-resist lines"  JOURNAL OF VACUUM SCIENCE AND TECHNOLOGY USA, Bd. 12, Nr. 6, November 1976 (1976–11), Seiten 1289–1293, XP002375482  ISSN: 0022–5355  JAGDHOLD U ET AL: "60 nm copper lines produced by a lift-off technique with 5 keV electrons: experiment and simulation" PROCEEDINGS OF THE SPIE – THE INTERNATIONAL SOCIETY FOR OPTICAL ENGINEERING SPIE-INT. SOC. OPT. ENG USA, Bd. 3049, 1997, Seiten 757–764, XP002375483  ISSN: 0277–786X das ganze Dokument  HAM Y-M ET AL: "APPLICATION OF A NEW EMPIRICAL MODEL TO THE ELECTRON BEAM LITHOGRAPHY PROCESS WITH CHEMICALLY AMPLIFIED RESIST"  JAPANESE JOURNAL OF APPLIED PHYSICS, JAPAN SOCIETY OF APPLIED PHYSICS, TOKYO, JP, Bd. 37, Nr. 128, Dezember 1998 (1998–12), Seiten 6761–6766, XP000880252  ISSN: 0021–4922  WITTIG L-CHR ET AL: "Intermittence effect in electron beam writing" MICROELECTRONIC ENGINEERING, ELSEVIER PUBLISHERS BV., AMSTERDAM, NL, Bd. 57–58, September 2001 (2001–09), Seiten 321–326, XP004302280	